



COOKER COLLECTION



INTRODUCTION

04



PROFESSIONAL LINE

10




BASSANO 1950 LINE

22



DESIGN LINE

30



TECHNICAL DATA SHEETS

35

ITALIAN TASTE EXPERIENCE. THE HISTORY OF FUTURE.

Expertise, design, and technology: the heart and soul of every De'Longhi freestanding cooker. A remarkable journey of passion and progress from Veneto to the world.

From Concept to Completion

Every single stage of our production is rooted in northeastern Italy - a deliberate choice that preserves the added value generated by the synergy of refined processes, creative expertise and deep-rooted know-how. It is this dedication that guarantees meticulous attention to detail, premium materials and cutting-edge technology in everything we create.

Since 1950,
we have been
sharing
our heritage,
our
achievements,
our strengths,
and our
expertise
with the world.





MADE IN ITALY

BUILT TO STAND OUT.



A CULTURE WHERE TECHNOLOGY MEETS CRAFTSMANSHIP.

At the heart of our products is a distinctive moulding of the front panel, combining precision laser cutting and engineered mould-based forming, conceived and produced entirely in-house at Elba's Italian facility. Refined through years of artisanship and investment, this signature detail reflects exceptional technical mastery. More than an aesthetic choice, it expresses advanced design, precise execution, and a proud heritage of craftsmanship.

ITALIAN KNOW-HOW FOR GLOBAL CULINARY EXCELLENCE

Cooking is about quality and passion — a principle rooted in our Italian heritage.

This balance is at the heart of our success worldwide, inspiring reliable and high-performance cooking appliances.

For us, “Made in Italy” is not only about design but also about technology and innovation that enhance every cuisine, delivering the highest standards of cooking performance.





MASTER PIZZA 300°C

Upper and lower heating elements with fan-assisted convection. Temperature adjustable from 40°C to 300°C via thermostat control. Ideal for pizza and large cuts requiring even cooking throughout (rolled roasts, turkey legs, joints of meat, and more).



AIR FRY

Cooks crispy, light dishes without adding oil or fat. The combined action of the circular heating element, fan, and upper element, together with a perforated tray, allows cooking of frozen or pre-cooked foods, as well as healthy, seasoning-free meals.



EASY STEAM

Releases water vapour inside the oven cavity to improve and speed up cooking. Preserves nutrients, flavour, appearance, and texture. Ensures more even results than traditional cooking methods.



ROTISSERIE

Rotates meat on a spit for even roasting. Ensures juicy, flavourful results. Suitable for a range of dishes, including roasted chicken and kebabs.



BOOSTER

Enables rapid preheating of the oven cavity by combining the circular heating element, fan, and upper heating element. High-intensity heat quickly brings the cavity to the set temperature, faster than traditional functions.



TRUE FAN COOKING

Heating element positioned around the fan enables cooking on multiple levels without mixing flavours or odours. Suitable for dishes that require thorough cooking while remaining tender and moist.

QUICK AND EASY CLEANING



IDROCLEAN

The IdroClean function uses humidity generated inside the oven cavity to help loosen dirt, making everyday cleaning quick and easy without the need for harsh chemical detergents.



EASY-TO-CLEAN OVEN DOOR

The inner glass panels of the oven door are easily removable, allowing for convenient cleaning without having to disassemble the door.



WHERE EVERY DETAIL MATTERS

TOUCH CONTROL PROGRAMMER

White LED display for clear visibility and intuitive use. Up to 11 cooking functions for a wide range of needs across the Professional and Bassano ranges. Electronic control interface with precise time management and accurate monitoring of cooking progress. Induction versions offer temperature adjustment in $\pm 5^{\circ}\text{C}$ increments.



DOUBLE FUNCTION GRILL & PLATE WARMER

Two functions in one accessory: a grill side for everyday cooking and a plate-warming side for serving food at its best.



SIDE RACKS AND TELESCOPIC GUIDES

Designed to maximise the oven cavity, the side racks and fully extendable telescopic guides allow safe and easy access to trays, with a secure locking system for added safety when removing food..



PROFESSIONAL LINE

WHERE MODERN DESIGN MEETS CULINARY IMAGINATION

This collection brings precision and passion to everyday cooking. From leavening at 40°C to baking pizza at 300°C, every detail supports your creativity in the kitchen. Choose gas or induction, enjoy the ease of dual cavities, and cook with confidence behind layered glass doors designed for both safety and style.

PRO 965T IMXX

Full Electric Range Cooker

EAN Code 8024651216452

STAINLESS STEEL
90 cm

Special Functions




Available colours



PRO 965T IMAA
Anthracite

EAN Code 8024651216469

Installation drawing



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Pro Brushed Metal Handles
- Stainless Steel Front Panel
- Stainless Steel Pro Doors Frame
- Float Glasses Door

Cooktop

- 5 Induction Zones:
Ø 155mm 1200 W,
2 x Ø 215mm 2200 W,
2 x 218*189mm 2200 W
- Central Control with Red Led
- Special Functions: booster, bridge zone, end of cooking, child lock, power management, melting, keep warm, simmer, pause, pan quality check

Left Oven

- Electric Multifunction - 12 Functions
- 76L - Side Racks
- Touch Control Programmer
- White Led Display
- Thermostat 40°-300°C
- 3 Glass Door with removable inner glasses

Right Oven

- Electric Static - 6 Functions
- 47L - Side Racks
- 2 Glass Door with removable inner glasses

Accessories

- 2 x Grill Pan Handle
- 2 x Grill Pan Trivet
- 2 x Flat Wire Shelf
- 2 x Tray
- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions (Left Oven)

	Defrosting		Double electric grilling
	Convection cooking		True fan cooking
	Pizza		Fan assisted cooking
	Fan assisted grilling		Top-heat only
	Plate warmer		Base heat only
	Base-heat fan assisted		Air Fry

Cooking Functions (Right Oven)

	Light		Top-heat only
	Convection cooking		Double electric grilling
	Electric grilling		Base heat only

Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



PRO 965T MXX

Dual Fuel Range Cooker

EAN Code 8024651216445

STAINLESS STEEL
90 cm

Special Functions




Available colours



PRO 965T MAA

EAN Code 8024651206682

Installation drawing



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Pro Brushed Metal Handles
- Stainless Steel Front Panel
- Stainless Steel Pro Doors Frame
- Float Glasses Door

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Support
- Cast Iron Wok Adaptor

Left Oven

- Electric Multifunction - 11 Functions
- 76L - Side Racks
- Touch Control Programmer
- White Led Display
- 2 Glass Door with removable inner glasses

Right Oven

- Electric Static - 6 Functions
- 47L - Side Racks
- 2 Glass Door with removable inner glasses

Accessories

- 2 x Grill Pan Handle
- 2 x Grill Pan Trivet
- 2 x Flat Wire Shelf
- 2 x Tray

- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions (Left Oven)

- | | | | |
|--|------------------------|--|--------------------------------------|
| | Defrosting | | Top-heat only |
| | Base-heat fan assisted | | Base-heat only |
| | Convection cooking | | Electric grilling |
| | Fan assisted cooking | | True fan cooking plus bottom element |
| | True fan cooking | | True fan cooking plus top element |
| | Fan assisted grilling | | |

Cooking Functions (Right Oven)

- | | | | |
|--|--------------------|--|--------------------------|
| | Light | | Top-heat only |
| | Convection cooking | | Double electric grilling |
| | Electric grilling | | Base heat only |

Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



PRO 965T GXX

Full Gas Range Cooker

EAN Code 8024651216575

STAINLESS STEEL
90 cm

Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Pro Brushed Metal Handles
- Stainless Steel Front Panel
- Stainless Steel Pro Doors Frame
- Float Doors Glasses

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR – 1,75kW,
RP – 1,75kW,
DC – 4,0kW
- Cast Iron Pan Support
- Cast Iron Wok Adaptor

Left Oven

- Static Gas – 3 Functions
- 71L – Side Racks
- Minute Minder
- 2 Glass Door with removable inner glasses

Right Oven

- Static Gas – 2 Functions
- 47L – Side Racks
- 2 Glass Door with removable inner glasses

Accessories

- 2 x Grill Pan Handle
- 2 x Grill Pan Trivet
- 2 x Flat Wire Shelf
- 2 x Tray
- Flap storage compartment
- Adjustable stainless steel feet
- LPG Conversion Kit
- Cable with UK plug

Available colours




PRO 965T GAA

Anthracite

EAN Code 8024651216582

Installation drawing



Cooking functions (Left oven)

- Oven light
- Gas cooking
- Gas grilling

Cooking functions (Right oven)

- Oven light
- Gas cooking

Cleaning systems

- Easy to clean enamel

SCAN QR
for more
details



DSR 927 DFX Dual Fuel Range Cooker

EAN Code 8024651208426

STAINLESS STEEL
90 cm

Special Functions



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Pro Brushed Metal Handles
- Stainless Steel Front Panel
- Stainless Steel Pro Door Frame
- Float Doors Glass

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Oven

- Electric Multifunction - 11 Functions
- 120L - Side racks
- Touch Control Programmer
- White LED Display
- 40°-300°C
- 3 Glass Door with removable inner glasses
- 2 Oven Lights


Accessories

- 1 x Rotisserie Kit
- 1 x Set of telescopic guides
- 1 x Flat Wire Shelf
- 1 x Shaped Wire Shelf
- 1 x Tray
- Flap storage compartment
- Adjustable stainless steel feet

Cooking functions

- | | | | |
|--|-----------------------------------|--|-----------------------------------|
| | Oven light | | Electric grilling fan assisted |
| | Convection cooking | | Plate warmer |
| | Base heat only | | True fan cooking |
| | Fan assisted cooking | | Defrosting |
| | Electric grilling with rotisserie | | True fan cooking plus top element |
| | Top-heat element | | |

Installation drawing



Cleaning systems

- Smalto easy to clean

SCAN QR
for more
details



PRO 965 MXX**Dual Fuel**

EAN Code 8024651216988

STAINLESS STEEL

90 cm

**Special Functions****Technical features****Design**

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Pro Brushed Metal Handles
- Stainless Steel Front Panel
- Stainless Steel Pro Door Frame
- Float Doors Glass

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Oven


- Electric Multifunction - 9 Functions
- 87L - Side racks
- Touch Control Programmer
- White LED Display
- 2 Glass Door with removable inner glasses

Accessories

- 1 x Tray
- 1 x Grill Pan Trivet
- 2 x Grill Pan Handles
- 1 x Shaped Wire Shelf
- Flap storage compartment
- Adjustable stainless steel feet
- LPG Conversion Kit

Cooking Functions

- | | |
|----------------------|--------------------------------|
| Oven light | Electric grilling fan assisted |
| Convection cooking | Top-heat only |
| Base heat only | True fan cooking |
| Fan assisted cooking | Defrosting |
| Electric grilling | |

Installation drawing**Cleaning systems**

- Easy to clean enamel

SCAN QR
for more
details



PRO 965 GXX

Full Gas Range Cooker

EAN Code 8024651216957

STAINLESS STEEL
90 cm

Special Functions



Available colours




PRO 965 GAA

Anthracite

EAN Code 8024651216964

Installation drawing



Technical features

Design

- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Pro Brushed Metal Handles
- Stainless Steel Front Panel
- Stainless Steel Pro Door Frame
- Float Glass

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Oven

- Static Gas with Electric Grill Oven - 3 Functions
- 126L with Side Racks
- 2 Glass Door with removable inner glasses
- 1 Oven Light

Accessories

- 1 x Tray
- 1 x Grill Pan Trivet
- 2 x Grill Pan Handles
- 1 x Flat Wire Shelf
- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions

- Oven light
- Gas cooking
- Electric grilling

Cleaning systems



Easy to clean enamel

SCAN QR
for more
details



DSR 926-IND BL**Full Electric**

EAN Code 8024651215639

ANTHRACITE

90 cm

**Special Functions****Technical features****Design**

- Anthracite Painted Steel Splashback
- Anthracite Enamelled Steel Cooktop
- Pro Black Soft Touch knobs with bezel
- Black Handle

Cooktop

- Anthracite Painted Steel Door Frame
- Float Glass Door

Oven

- Electric Multifunction - 9 Functions
- 87L - Side racks
- Touch Control Programmer
- White LED Display
- 2 Glass Door with removable inner glasses
- 2 Oven Lights


Accessories

- 2 x Tray
- 1 x Flat Wire Shelf
- 1 x Grill Pan Trivet
- 2 x Grill Pan Handles
- Flap storage compartment
- Adjustable black feet

Cooking Functions

- Oven light
- Fan assisted grilling
- Convection cooking
- Fan assisted cooking
- True fan cooking

- Electric grilling
- Top-heat element
- Base heat element
- Defrosting

Installation drawing**Cleaning systems**

- Easy to clean enamel

SCAN QR
for more
details



DSC 626IND-1 Full Electric Range Cooker

EAN Code 8024651215301

STAINLESS STEEL
60 cm



Special Functions



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Brushed Metal Handle
- Stainless Steel Front Panel
- Stainless Steel Pro Door Frame
- Float Glass Door

Piano

- 4 Induction Zone:
Ø 160 1200 W,
3 x Ø 180mm 1800W,
Booster 2100W
- Central Control with Red Led
- Special Functions: Bridge Zone, Pause, Lock, Booster, End of Cooking, Power management

Oven

- Electric Multifunction – 11 Functions
- 74L – Side Racks
- Touch Control programmer
- White LED Display
- 40°-300°C
- 3 Glass Door with removable inner glasses


Accessories

- 1 x Grill Pan
- 1 x Flat Wire Shelf
- 1 x Tray
- 1 x Set of telescopic guides
- Drawer storage compartment
- Adjustable stainless steel feet

Cooking functions

- | | |
|--------------------------------------|-----------------------------------|
| Oven light | Base-heat fan assisted |
| Fan assisted grilling | Top heat element |
| Base heat only | True fan cooking plus top element |
| Electric grilling | True fan cooking |
| Convection cooking | Fan assisted cooking |
| True fan cooking plus bottom element | |

Installation drawing



Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



DSC 626MF-1 Dual Fuel Range Cooker

EAN Code 8024651215318

STAINLESS STEEL
60 cm

Special Functions



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Polished nickel knobs with Bezel
- Brushed Metal Handle
- Stainless Steel Front Panel
- Stainless Steel Pro Door Frame
- Float Glass Door

Piano

- 4 Gas Burners:
Aux - 1,00kW,
2 x SR-1,75kW,
DC-4,0kW
- Cast Iron Pan supports
- Cast Iron Wok Adaptor

Forno

- Electric Multifunction - 11 Functions
- 74L - Side Racks
- Touch Control programmer
- White LED Display
- 40°-300°C
- 3 Glass Door with removable inner glasses

Accessories

- 1 x Grill Pan
- 1 x Flat Wire Shelf
- 1 x Tray
- 1 x Set of telescopic guides
- Drawer storage compartment
- Adjustable stainless steel feet
- Cable with UK plug
- LPG Kit

Cooking functions

	Defrosting		Base heat element
	Base-heat fan assisted		Convection cooking
	Fan assisted cooking		True fan cooking plus bottom element
	Electric grill fan assisted		True fan cooking
	Top-heat element		True fan cooking plus top element
	Electric grilling		


Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



Installation drawing



DSC 626MLX-1 Dual Fuel Range Cooker

EAN Code 8024651215325

STAINLESS STEEL
60 cm

Special Functions



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Pro Black soft touch knobs with Bezel
- Brushed Metal Handle
- Stainless Steel Front Panel
- Full Glass Oven Door
- Stop Sol Glass Door

Hob

- 4 Gas Burners:
Aux - 1,00kW,
2 x SR-1,75kW,
DC-4,0kW
- Cast Iron Pan supports
- Cast Iron Wok Adaptor

Oven

- Electric Multifunction - 9 Functions
- 74L - Side Racks
- End Of Cooking
- 2 Glass Door with removable inner glasses


Accessories

- 1 x Grill Pan
- 1 x Tray
- 2 x Flat Wire Shelf
- 2 x Grill Pan Handle
- Drawer storage compartment
- Adjustable stainless steel feet
- Cable with UK plug
- LPG Kit

Cooking Functions

- | | | | |
|--|--------------------------------|--|-----------------------------------|
| | Defrosting | | Top heat only |
| | Convection cooking | | Base-heat fan assisted |
| | Electric grilling fan assisted | | Fan assisted cooking |
| | Electric grilling | | True fan cooking plus top element |
| | True fan cooking | | |

Installation drawing



Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details







BASSANO 1950

CLASSIC STYLE, MODERN INNOVATION

Rooted in the iconic designs of the 1950s, this updated collection blends vintage aesthetics with advanced technology. Classic retro lines meet modern features such as true fan, master pizza at 300°C, booster, rotisserie, and easy steam. With main and auxiliary ovens, retro-style knobs, and a dish warmer, these cookers bring timeless character and cutting-edge performance to any kitchen.

BS 965T MXX Dual Fuel Range Cooker

EAN Code 8024651216612

STAINLESS STEEL
90 cm

Special Functions




Available colours



BS 965T MXA
Anthracite

EAN Code 8024651216650

Installation drawing



Technical features

Design

- Stainless Steel Splash Back
- Stainless Steel Cooktop
- Polished nickel knobs with Bezel
- Brushed Metal Bassano 1950 Handles
- Stainless Steel Front Panel
- Stainless Steel Bassano 1950 Doors Frame
- Float Glasses Door

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Left Oven

- Electric Multifunction - 11 Functions
- 76L - Side Racks
- Touch Control Programmer
- White Led Display
- 2 Glass Door with removable inner glasses
- **Accessories:**
 - 2 x Grill Pan Handle
 - 1 x Grill Pan Trivet
 - 1 x Tray
 - 1 x Flat shelf

Right Oven

- Electric Static - 6 Functions
- 47L - Side Racks
- 2 Glass Door with removable inner glasses
- **Accessories:**
 - 1 x Grill Pan Trivet
 - 1 x Tray
 - 1 x Dishwarmer/Flat Shelf
 - 1 x Rotisserie kit

- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions (Left Oven)

- | | | | |
|--|--------------------------------|--|--------------------------------------|
| | Defrosting | | Top heat only |
| | Base heat fan assisted | | Base heat only |
| | Convection cooking | | Electric grilling |
| | Fan assisted cooking | | True fan cooking plus bottom element |
| | True fan cooking | | True fan cooking plus top element |
| | Electric grilling fan assisted | | |

Cooking Functions (Right Oven)

- | | | | |
|--|--------------------|--|-----------------------------------|
| | Oven light | | Top heat only |
| | Convection cooking | | Electric grilling plus rotisserie |
| | Base heat only | | Electric grilling |

Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



BS 965T MXS Dual Fuel Range Cooker

EAN Code 8024651216629

SLATE GREY
90 cm

Special Functions




Available colours



BS 965T MXW
White

EAN Code 8024651216643

Installation drawing



Technical features

Design

- Stainless Steel Splash Back
- Stainless Steel Cooktop
- Polished nickel knobs with Bezel
- Brushed Metal Bassano 1950 Handles
- Stainless Steel Front Panel
- Stainless Steel Bassano 1950 Doors Frame
- Float Glasses Door

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Support
- Cast Iron Wok Adaptor

Left Oven

- Electric Multifunction - 11 Functions
- 76L - Side Racks
- Touch Control Programmer
- White Led Display
- 2 Glass Door with removable inner glasses
- **Accessories:**
 - 2 x Grill Pan Handle
 - 1 x Grill Pan Trivet
 - 1 x Tray
 - 1 x Flat shelf

Right Oven

- Electric Static - 6 Functions
- 47L - Side Racks
- 2 Glass Door with removable inner glasses
- **Accessories:**
 - 1 x Grill Pan Trivet
 - 1 x Tray
 - 1 x Dishwarmer/Flat Shelf
 - 1 x Rotisserie kit

- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions (Left Oven)

- | | |
|------------------------|--------------------------------------|
| Defrosting | Top heat only |
| Base heat fan assisted | Base-heat only |
| Convection cooking | Electric grilling |
| Fan assisted cooking | True fan cooking plus bottom element |
| True fan cooking | True fan cooking plus top element |
| Fan assisted grilling | |

Cooking Functions (Right Oven)

- | | |
|--------------------|-----------------------------------|
| Oven light | Top heat only |
| Convection cooking | Electric grilling plus rotisserie |
| Base heat only | Electric grilling |

Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



BS 965T MAC Dual Fuel Range Cooker

EAN Code 8024651216971

CREAM
90 cm

Special Functions



Technical features

Design

- Anthracite Painted Steel Splashback
- Anthracite Enameled Steel Cooktop
- Polished nickel knobs with Bezel
- Brushed Metal Bassano 1950 Handles
- Cream Painted Steel Bassano 1950 Door Frame
- Float Glass Door

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Left Oven

- Electric Multifunction - 11 Functions
- 76L - Side Racks
- Touch Control Programmer
- White Led Display
- 2 Glass Door with removable inner glass
- **Accessories:**
 - 2 x Grill Pan Handle
 - 1 x Grill Pan Trivet
 - 1 x Tray
 - 1 x Flat shelf

Right Oven

- Electric Static - 6 Functions
- 47L - Side Racks
- 2 Glass Door with removable inner glass
- **Accessories**
 - 1 x Grill Pan Trivet
 - 1 x Tray
 - 1 x Dishwarmer/Flat Shelf
 - 1 x Rotisserie kit
- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions (Left Oven)

	Defrosting		Top heat only
	Base heat fan assisted		Base-heat only
	Convection cooking		Electric grilling
	Fan assisted cooking		True fan cooking plus bottom element
	True fan cooking		True fan cooking plus top element
	Top heat fan assisted		


Cooking Functions (Right Oven)

	Oven light		Top heat only
	Convection cooking		Electric grilling fan assisted
	Base-heat only		Electric grilling

Cleaning systems

- Idroclean
- Easy to clean enamel

Installation drawing



SCAN QR
for more
details



BS 965T IMXX

Full Electric Range Cooker

EAN Code 8024651216711

STAINLESS STEEL
90 cm

Special Functions




Available colours



BS 965T IMAA
Anthracite

EAN Code 8024651216728

Installation drawing



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Polished nickel knobs with Bezel
- Brushed Metal Bassano 1950 Handles
- Stainless Steel Front Panel
- Stainless Steel Bassano 1950 Doors Frame
- Float Glass Door

Cooktop

- 5 Induction Zones: Ø 155mm 1200 W, 2 x Ø 215mm 2200 W, 2 x 218*180mm 2200 W
- Central Control with Red Led
- Special Functions: booster, bridge zone, end of cooking, child lock, power management, melting, keep warm, simmer, pause, pan quality check

Left Oven

- Electric Multifunction - 12 Functions
- 76L - Side Racks
- Touch Control Programmer
- White Led Display
- Thermostat 40°-300°C
- 3 Glass Door with removable inner glasses
- **Accessories**
- 2 x Grill Pan Handle
- 1 x Grill Pan Trivet
- 1 x Tray
- 1 x Flat shelf

Right Oven

- Electric Static - 6 Functions
- 47L - Side Racks
- 2 Glass Door with removable inner glass
- **Accessories**
- 1 x Grill Pan Trivet
- 1 x Tray
- 1 x Dishwarmer/Flat Shelf
- 1 x Rotisserie kit
- Flap storage compartment
- Adjustable stainless steel feet

Cooking Functions (Left oven)

	Defrosting		Double electric grilling
	Base-heat fan assisted		Airfry
	Convection cooking		Pizza
	True fan cooking		Fan assisted cooking
	Fan assisted grilling		Top heat only
	Base-heat only		Plate warmer

Cooking Functions (Right Oven)

	Oven light		Top heat only
	Convection cooking		Electric grilling with rotisserie
	Base-heat only		Electric grilling

Cleaning systems

- Idroclean
- Easy to clean enamel

SCAN QR
for more
details



BS 965 MXX Dual Fuel Range Cooker

EAN Code 8024651217015

STAINLESS STEEL
90 cm

Special Functions



Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Polished nickel knobs with Bezel
- Brushed Metal Bassano 1950 Handles
- Stainless Steel Front Panel
- Stainless Steel Bassano 1950 Door Frame
- Float Glass Door

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR – 1,75kW,
RP – 1,75kW,
DC – 4,0kW
- Cast iron pan supports
- Cast Iron Wok Adaptor

Oven

- Electric Multifunction – 9 Functions
- 87L with Side Racks
- Touch Control Programmer
- White LED Display
- 2 Glass Door with removable inner glasses
- 2 Oven Lights


Accessories

- 1 x Set of telescopic guides
- 1 x Gas Ring Reducer
- 1 x Tray
- 2 x Shaped Wire Shelf
- Flap storage compartment
- Adjustable stainless steel feet
- LPG Conversion kit

Cooking Functions

- | | | | |
|--|--------------------|--|-----------------------|
| | Oven light | | Fan assisted cooking |
| | Convection cooking | | Fan assisted grilling |
| | Base-heat only | | True fan cooking |
| | Top heat only | | Defrosting |
| | Electric grilling | | |

Installation drawing



Cleaning systems



Easy to clean enamel

SCAN QR
for more
details



BS 965 MXN Dual Fuel Range Cooker

EAN Code 8024651217039

GLOSSY BLACK
90 cm

Technical features

Design

- Stainless Steel Splashback
- Stainless Steel Cooktop
- Polished nickel knobs with Bezel
- Brushed Metal Bassano 1950 Handles
- Gloss Black Painted Steel Front Panel
- Gloss Black Painted Steel Bassano 1950 Door Frame
- Float Glass Door

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR - 1,75kW,
RP - 1,75kW,
DC - 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Oven

- Electric Multifunction - 9 Functions
- 87L with Side Racks
- Touch Control Programmer
- White LED Display
- 2 Glass Door with removable inner glasses
- 2 Oven Lights

Accessories

- 1 x Set of telescopic guides
- 1 x Gas Ring Reducer
- 1 x Tray
- 2 x Shaped Wire Shelf
- Flap storage compartment
- Adjustable stainless steel feet
- LPG Conversion kit

Cooking Functions

- | | | | |
|--|--------------------|--|-----------------------|
| | Oven light | | Fan assisted cooking |
| | Convection cooking | | Fan assisted grilling |
| | Base-heat only | | True fan cooking |
| | Top heat only | | Defrosting |
| | Electric grilling | | |

Special Functions



Available colours



BS 965 MXS
Slate Grey


EAN Code 8024651217022



BS 965 MXR
Burgundy

EAN Code 8024651217046

Installation drawing



Cleaning systems



Easy to clean enamel

SCAN QR
for more
details







DESIGN LINE

CRAFTED FOR EVERYDAY LIVING

Available in dual fuel and full gas configurations, including compact 60cm versions with top and bottom ovens. Designed with premium stainless steel finishes, brushed metal details and refined controls, each model combines durability with timeless style. Powerful gas hobs and versatile oven configurations deliver flexibility, precision and everyday cooking performance across the range.

DEM 965 MXX Dual Fuel Range Cooker

EAN Code 8024651216940

STAINLESS STEEL
90 cm

Special Functions



Technical features

Design

- Stainless Steel Cooktop
- Polished nickel knobs with Bezel
- Polished nickel Brushed Metal Handles
- Stainless Steel Front Panel
- Full Glass Door Frame
- Float Glass

Cooktop

- 5 Gas Burners:
Aux 1,0kW,
2 x SR – 1,75kW,
RP – 1,75kW,
DC – 4,0kW
- Cast Iron Pan Supports
- Cast Iron Wok Adaptor

Oven

- Electric Multifunction – 6 Functions
- 118L – Side racks
- Touch Control Programmer
- White LED Display
- 2 Glass Door with removable inner glasses
- 2 Oven Lights

Accessories

- 1 x Tray
- 1 x Grill Pan Trivet
- 2 x Grill Pan Handles
- 1 x Flat Wire Shelf
- Flap storage compartment
- Adjustable stainless steel feet
- Cable and Uk Plug
- LPG Conversion Kit

Cooking Functions



Oven light



Electric grilling



Plate warmer



Fan assisted grilling




True fan cooking



Defrosting

Installation drawing



Cleaning systems



Easy to clean enamel

SCAN QR
for more
details



DDC 707 DF Dual Fuel Range Cooker

EAN Code 8024651207887

STAINLESS STEEL
70 cm



Special Functions



Technical features

Design

- Stainless Steel Splashback
- Brushed metal and black soft touch finishing Knobs
- Brushed Metal Handle
- Stainless Steel Cooktop
- Stainless Steel Front Panel
- Full Glass Doors Frame
- Float Glasses Door

Cooktop

- 5 Gas Burners:
Aux-1,0kW,
2x SR-1,75kW,
RP-3,0kW, DC 4,0kW
- Cast iron Pan Supports
- Cast iron wok adaptor

Top Oven

- Electric Static – 2 Functions
- 37L – side racks
- 2 Glass Door with removable inner glasses

Bottom Oven

- Fan Electric – 4 Functions
- 64L – Side Racks
- Electronic Programmer
- Red Led Display
- Side Opening two Glass Door with removable inner glasses

Accessories

- 2 x Tray
- 2 x Flat wire shelf
- 2 x Grill pan handles
- 1 x Grill pan trivet
- 1 x Shaped Wire Shelf
- LPG Conversion KIT

Cooking functions (Top oven)

Oven light and defrosting

True fan cooking

Cooking functions (Bottom oven)

Oven light

Electric grill


Convection cooking

ECO Eco

Cleaning systems

Easy to clean enamel

Installation drawing



DDC 606 DF 1 Dual Fuel Range Cooker

EAN Code 8004399620926

STAINLESS STEEL
60 cm



Special Functions



Technical features

Design

- Brushed metal and black soft touch finishing Knobs
- Brushed Metal Handle
- Stainless Steel Cooktop
- Stainless Steel Front Panel
- Stainless Steel Doors Frame
- Float Glasses Door

Cooktop

- 4 Gas Burners:
Aux-1,0kW,
2x SR-1,75kW,
DC-3,5kW
- Cast iron Pan Supports
- Cast iron wok adaptor

Top Oven

- Electric Static - 2 Functions
- 37L - side racks
- 2 Glass Door with removable inner glasses

Bottom Oven

- Fan Electric - 4 Functions
- 61L - Side Racks
- Electronic Programmer
- Red Led Display
- 2 Glass Door with removable inner glasses

Accessories

- 2 x Grill Pan handles
- 1 x Grill pan Trivet
- 2 x Flat Wire Shelf
- 2 x Tray
- LPG Conversion KIT

Cooking functions (Top oven)



Oven light and defrosting



True fan cooking

Cooking functions (Bottom oven)



Oven light



Electric grill




Convection cooking



ECO Eco

Installation drawing



Cleaning systems



Easy to clean enamel

SCAN QR
for more
details



DSC 626G-1 Full Gas Range Cooker

EAN Code 88024651214205

STAINLESS STEEL
60 cm

Technical features

Design

- Stainless Steel Cooktop
- Black soft touch knobs with Bezel
- Brushed Metal Handle
- Stainless Steel Front Panel
- Stainless Steel Oven Door Frame
- Float Glas Door

Hob

- 4 Gas Burners:
Aux - 1,00kW,
2 x SR-1,75kW,
DC-4,0kW
- Cast Iron Pan supports
- Cast Iron Wok Adaptor

Oven

- Static Gas -
3 Functions
- 71L - Side Racks
- Minute Minder
- 2 Glass Door with
removable inner glasses

Accessories

- 2 x Grill Pan Handle
- 1 x Grill Pan
- 2 x Flat Wire Shelf
- 1 x Tray
- Flap storage compartment
- Adjustable stainless steel feet
- Cable with UK plug
- LPG Kit

Available colours




DSC 626G-1 BL Anthracite

EAN Code 8024651215394

Cooking functions

- | Light
- | Gas oven
- | Grill gas

Installation drawing



Cleaning systems

- | Easy to clean enamel

SCAN QR
for more
details



TECHNICAL DATA SHEETS



MODEL	PRO 965T IMXX	PRO 965T IMAA	PRO 965T MXX	PRO 965T MAA	PRO 965T GXH
Line	Professional	Professional	Professional	Professional	Professional
Color	stainless steel	anthracite	stainless steel	anthracite	stainless steel
COOKTOP					
Fuel	induction	induction	gas	gas	gas
N° zones	5	5	5	5	5
Double ring	-	-	•	•	•
Dual burner	-	-	-	-	-
Electronic ignition	-	-	•	•	•
Pan supports material	-	-	cast iron	cast iron	cast iron
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	electric multifunction	static gas
Function switch position	12	12	11	11	3
True fan cooking	•	•	•	•	-
Electric grilling	•	•	•	•	-
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	•
Electronic ignition	-	-	-	-	•
Net volume (lit.)	76	76	76	76	71
Cooling fan	•	•	•	•	•
Interior light	1	1	1	1	1
Door glass panes	3	3	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	1	1	1	1
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	480x386x408	480x386x408	480x386x408	480x386x408	474x452x332
AUX OVEN					
Cavity type	electric static	electric static	electric static	electric static	gas
Function switch position	6	6	6	6	2
Electric grilling	•	•	•	•	-
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	•
Electronic ignition	-	-	-	-	•
Net volume (lit.)	47	47	47	47	47
Cooling fan	•	•	•	•	•
Interior light	1	1	1	1	1
Door glass panes	2	2	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	1	1	1	1
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	-	-	-	-	-
Dishwarmer rack	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	265x380x465	265x380x465	265x380x465	265x380x465	265x385x465
FEATURES					
Splashback	•	•	•	•	•
Glass lid	-	-	-	-	-
Wok cast iron pan support	-	-	•	•	•
Pan support adapter	-	-	-	-	-
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	-	-	-	-	-
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	•	-
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	•
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	-	-	-	-	•
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90x60x89,1/94,2	90x60x89,1/94,2	90x60x89,1/94,2	90x60x89,1/94,2	60x60x89,1/94,2
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A/A	A/A	A/A	A/A
Energy Efficiency Index (EEI cavity) %	94,3/90,7	94,3/90,7	94,3/90,7	94,3/90,7	86,5/91,6
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	0,82	0,82	0,82	0,82
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	0,92	0,92	0,92	0,92
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	0,68	-	-	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	5,75/5,13
Total electric absorption (W)	12150	12150	4850	4850	70
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•	•	•

MODEL	PRO 965T GAA	DSR 927 DFX	PRO 965 MXX	PRO 965 GXX	PRO 965 GAA
Line	Professional	Professional	Professional	Professional	Professional
Color	anthracite	stainless steel	stainless steel	stainless steel	anthracite
COOKTOP					
Fuel	induction	gas	gas	gas	gas
N° zones	5	5	5	5	4
Double ring	•	•	•	•	•
Dual burner	-	-	-	-	-
Electronic ignition	•	•	•	•	•
Pan supports material	cast iron	cast iron	cast iron	cast iron	cast iron
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	gas static	gas static
Function switch position	3	11	9	3	3
True fan cooking	-	•	•	•	•
Electric grilling	-	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	•	-	-	•	•
Electronic ignition	•	-	-	•	•
Net volume (lit.)	71	120	87	126	126
Cooling fan	•	•	•	•	•
Interior light	1	2	2	1	1
Door glass panes	2	3	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	2	2	1	1
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	-	•	-	-	-
Interior cavity dimensions (WxHxD) mm	474x332x452	773x380x412	651x331x405	772x365x465	772x365x465
AUX OVEN					
Cavity type	gas	-	-	-	-
Function switch position	2	-	-	-	-
Electric grilling	•	-	-	-	-
Thermostat	•	-	-	-	-
Safety device	•	-	-	-	-
Electronic ignition	•	-	-	-	-
Net volume (lit.)	47	-	-	-	-
Cooling fan	•	-	-	-	-
Interior light	1	-	-	-	-
Door glass panes	2	-	-	-	-
Removable inner glass door	•	-	-	-	-
Shelf	1	-	-	-	-
Tray	1	-	-	-	-
Rotisserie	-	-	-	-	-
Grill pan trivet	•	-	-	-	-
Dishwarmer rack	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	265x380x465	-	-	-	-
FEATURES					
Splashback	•	•	•	•	•
Glass lid	-	-	-	-	-
Wok cast iron pan support	•	•	•	•	•
Pan support adapter	-	•	•	•	•
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	-	•	-	-	-
Pizza stone	-	-	-	-	-
Touch control programmer	-	•	•	-	-
Minute minder 60'	-	-	-	-	-
Minute minder 120'	•	-	-	•	•
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	•	-	-	•	•
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90x60x89,1/94,2	90x60x89,1/94,2	90x60x84,0/91,6	90x60x85,0/91,6	60x60x85,0/91,6
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A/A	A	A	A
Energy Efficiency Index (EEI cavity) %	86,5/91,6	95,8	95,0	95,3	95,3
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	1,01	0,87	-	0,82
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	1,38	1,09	-	0,92
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	0,68	-	-	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	5,75/5,13	-	-	8,65	-
Total electric absorption (W)	70	3210	3035	2260	2260
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•	•	•

MODEL	DSR 926-IND BL	DSC 626IND-1	DSC 626MF-1	DSC 626MLX-1	BS 965T MXX
Line	Professional	Professional	Professional	Professional	Bassano 1950
Color	anthracite	stainless steel	stainless steel	stainless steel	stainless steel
COOKTOP					
Fuel	induction	induction	gas	gas	gas
N° zones	5	4	4	4	5
Double ring	-	-	•	•	•
Dual burner	-	-	-	-	-
Electronic ignition	-	-	•	•	•
Pan supports material	-	-	cast iron	cast iron	cast iron
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	electric multifunction	electric multifunction
Function switch position	9	11	11	9	11
True fan cooking	•	•	•	•	•
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	87	74	74	74	76
Cooling fan	•	•	•	•	•
Interior light	2	1	1	1	1
Door glass panes	2	3	3	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	1	1	2	1
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	651x351x405	475x385x407	475x385x407	475x365x407	480x386x408
AUX OVEN					
Cavity type	-	-	-	-	electric static
Function switch position	-	-	-	-	6
Electric grilling	-	-	-	-	•
Thermostat	-	-	-	-	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	-	-	-	-	47
Cooling fan	-	-	-	-	•
Interior light	-	-	-	-	1
Door glass panes	-	-	-	-	2
Removable inner glass door	-	-	-	-	•
Shelf	-	-	-	-	•
Tray	-	-	-	-	1
Grill pan trivet	-	-	-	-	•
Rotisserie	-	-	-	-	•
Dishwarmer rack	-	-	-	-	1
Interior cavity dimensions (WxHxD) mm	-	-	-	-	265x380x465
FEATURES					
Splashback	•	•	•	•	•
Glass lid	-	-	-	-	-
Wok cast iron pan support	-	-	•	•	•
Pan support adapter	-	-	•	•	•
Telescopic sliding shelf supports	-	•	•	-	-
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	-	•
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	-
Timer 120' cut-off	-	-	-	•	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	-	-	•	-	-
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90x60x85,4/90,6	90x60x86,0/91,0	90x60x86,0/91,0	90x60x86,0/91,0	60x60x86,0/91,0
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A/A	A	A	A/A
Energy Efficiency Index (EEI cavity) %	94,6	95,3	95,3	95,3	94,3/90,7
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,87	0,82	0,82	0,82	0,82
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	1,09	0,92	0,92	0,92	0,92
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	0,68
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	-
Total electric absorption (W)	9150	9200	2900	2200	4850
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•	•	•

MODEL	BS 965T MXA	BS 965T MXS	BS 965T MXW	BS 965T MAC	BS 965T IMXX
Line	Bassano 1950	Bassano 1950	Bassano 1950	Bassano 1950	Bassano 1950
Color	anthracite	slate grey	white	cream	stainless steel
COOKTOP					
Fuel	gas	gas	gas	gas	induction
N° zones	5	6	5	5	5
Double ring	•	•	•	•	-
Dual burner	-	-	-	-	-
Electronic ignition	•	•	•	•	-
Pan supports material	cast iron	cast iron	cast iron	cast iron	-
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	electric multifunction	electric multifunction
Function switch position	11	11	11	11	12
True fan cooking	•	•	•	•	•
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	76	76	76	76	76
Cooling fan	•	•	•	•	•
Interior light	1	1	1	1	1
Door glass panes	2	2	2	2	3
Removable inner glass door	•	•	•	•	•
Shelf	1	1	1	1	1
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	480x386x408	480x386x408	480x386x408	480x386x408	480x386x408
AUX OVEN					
Cavity type	electric static	electric static	electric static	electric static	electric static
Function switch position	6	6	6	6	6
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	47	47	47	47	47
Cooling fan	•	•	•	•	•
Interior light	1	1	1	1	1
Door glass panes	2	2	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	-	-	-	-	-
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	•	•	•	•	•
Dishwarmer rack	1	1	1	1	1
Interior cavity dimensions (WxHxD) mm	265x380x465	265x380x465	265x380x465	265x380x465	265x380x465
FEATURES					
Splashback	•	•	•	•	•
Glass lid	-	-	-	-	-
Wok cast iron pan support	•	•	•	•	-
Pan support adapter	•	•	•	•	-
Telescopic sliding shelf supports	-	-	-	-	-
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	•	•
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	•	•	•	•	-
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90x60x86,1/93,2	90x60x86,1/93,2	90x60x86,1/93,2	90x60x86,1/93,2	60x60x86,1/93,2
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A/A	A/A	A/A	A/A
Energy Efficiency Index (EEI cavity) %	94,3/90,7	94,3/90,7	94,3/90,7	94,3/90,7	94,3/90,7
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	0,82	0,82	0,82	0,82
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	0,92	0,92	0,92	0,92
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	0,68	0,68	0,68	0,68
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	-
Total electric absorption (W)	4850	4850	4850	4850	12150
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•	•	•

MODEL	BS 965T IMAA	BS 965 MXX	BS 965 MXN	BS 965 MXS	BS 965 MXR
Line	Bassano 1950	Bassano 1950	Bassano 1950	Bassano 1950	Bassano 1950
Color	anthracite	stainless steel	black	slate grey	burgundy
COOKTOP					
Fuel	induction	gas	gas	gas	gas
N° zones	5	5	5	5	5
Double ring	-	•	•	•	•
Dual burner	-	-	-	-	-
Electronic ignition	-	•	•	•	•
Pan supports material	-	cast iron	cast iron	cast iron	cast iron
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	electric multifunction	electric multifunction
Function switch position	12	9	9	9	9
True fan cooking	•	•	•	•	•
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	76	87	87	87	87
Cooling fan	•	•	•	•	•
Interior light	1	2	2	2	2
Door glass panes	3	2	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	2	2	2	2
Tray	1	1	1	1	1
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	480x386x408	651x351x405	651x351x405	651x351x405	651x351x405
AUX OVEN					
Cavity type	electric static	electric static	-	-	-
Function switch position	6	6	-	-	-
Electric grilling	•	•	-	-	-
Thermostat	•	•	-	-	-
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	47	47	-	-	-
Cooling fan	•	•	-	-	-
Interior light	1	1	-	-	-
Door glass panes	2	2	-	-	-
Removable inner glass door	•	•	-	-	-
Shelf	-	-	-	-	-
Tray	1	1	-	-	-
Rotisserie	•	•	-	-	-
Dishwarmer rack	1	1	-	-	-
Interior cavity dimensions (WxHxD) mm	265x380x465	265x380x465	-	-	-
FEATURES					
Splashback	•	•	•	•	•
Glass lid	-	-	-	-	-
Wok cast iron pan support	-	•	•	•	•
Pan support adapter	-	•	•	•	•
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	-	•	•	•	•
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	•	•
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	-	-	-	-	-
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90x60x86,7/93,2	90x60x84,0/90,6	90x60x84,0/90,6	90x60x84,0/90,6	90x60x84,0/90,6
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A	A	A	A
Energy Efficiency Index (EEI cavity) %	94,3/90,7	94,6	94,6	94,6	94,6
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	0,87	0,87	0,87	0,87
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	1,09	1,09	1,09	1,09
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	-	-	-	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	-
Total electric absorption (W)	12150	3050	3050	3050	3050
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•	•	•

MODEL	DEM 965 MXX	DDC 707 DF	DDC 606 DF-1	DSC 626G-1	DSC 626G-1 BL
Line	Design	Design	Design	Design	Design
Color	stainless steel	stainless steel	stainless steel	stainless steel	anthracite
COOKTOP					
Fuel	gas	gas	gas	gas	gas
N° zones	5	5	4	4	4
Double ring	•	•	•	•	•
Dual burner	-	-	-	-	-
Electronic ignition	•	•	•	•	•
Pan supports material	cast iron	cast iron	cast iron	cast iron	cast iron
OVEN					
Cavity type	electric multifunction	electric fan	electric fan	gas	gas
Function switch position	6	4	4	3	3
True fan cooking	•	•	•	-	-
Electric grilling	•	•	•	-	-
Thermostat	•	•	•	•	•
Safety device	-	-	-	•	•
Electronic ignition	-	-	-	•	•
Net volume (lit.)	118	64	61	71	71
Cooling fan	•	•	•	•	•
Interior light	1	1	1	1	1
Door glass panes	2	2	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	2	2	2	2
Tray	1	1	1	1	1
Grill pan trivet	•	•	•	•	•
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	480x386x408	406x341x459	459x328x612	474x332x452	474x332x452
AUX OVEN					
Cavity type	-	electric static	electric static	-	-
Function switch position	-	2	2	-	-
Electric grilling	-	•	•	-	-
Thermostat	-	•	•	-	-
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	-	37	37	-	-
Cooling fan	-	•	•	-	-
Interior light	-	1	1	-	-
Door glass panes	-	2	2	-	-
Removable inner glass door	-	•	•	-	-
Shelf	-	-	-	-	-
Tray	-	1	1	-	-
Rotisserie	-	-	-	-	-
Dishwarmer rack	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	-	440x205x410	440x205x410	-	-
FEATURES					
Splashback	-	•	-	-	-
Glass lid	-	-	-	-	-
Wok cast iron pan support	•	•	•	•	•
Pan support adapter	•	•	•	•	•
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	-	-	-	-	-
Pizza stone	-	-	-	-	-
Touch control programmer	•	-	-	-	-
Electronic programmer	-	•	•	•	•
Minute minder 120'	-	-	-	-	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	•	•	•	•	•
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90x60x85,0/91,6	90x60x90,2/90,7	90x60x90	90x60x85/90	60x60x85/90
Energy Efficiency Class - Main / Auxiliary Oven (*)	A	A/A	A/A	A	A
Energy Efficiency Index (EEI cavity) %	95,6	97,7/95,0	95,0/104,3	86,5	86,5
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	1,00	0,80	0,83	-	-
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	-	-	1,38	-	-
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	0,67	0,67	-	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	5,75	5,75
Total electric absorption (W)	2260	4300	4300	45	45
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•	•	•

ENERGY LABELLING/ECODESIGN

- Commission delegated regulation (EU) No 65/2014 (supplementing Directive 2010/30/EU of the European Parliament and of the Council).
- Commission regulation (EU) No 66/2014 (implementing Directive 2009/125/EC of the European Parliament and of the Council).

Reference to the measurement and calculation methods used to establish compliance with the above requirements:

- Standard EN 60350-1 (electric ovens).
- Standard EN 15181 (gas ovens).
- Standard EN 60350-2 (hobs: electric cooking zones and/or areas).
- Standard EN30-2-1 (hobs: gas fired burners).

USE OF THE APPLIANCE, ENERGY SAVING TIPS

OVEN

- Check the oven door always closes properly and the door gasket is clean and in order. During use, open the oven door only when strictly necessary to avoid heat losses (for some functions it may be necessary to use the oven with the door half-closed, check the oven operating instructions).
- Turn off the oven 5-10 minutes before the end of the theoretical cooking time to recuperate the stored heat.
- We recommend using oven proof dishes and adjusting the oven temperature during cooking if necessary.

HOB

GAS FIRED BURNERS

- It is important that the diameter of the pot be suitable to the size of the burner so as not to compromise the high output of the burners and thereby wasting energy. A small pot on a large burner does not heat the contents any faster, since the heat absorbed by the liquid depends on its volume and the surface area of the pot.
- Avoid keeping a burner on without something on it (without pot).

ELECTRIC COOKING ZONES AND/OR AREAS

- Avoid keeping a zone/area on without something on it (without pot).
- Avoid pouring liquids on the zones/areas while they are hot.
- Use flat-bottomed (electric hotplate type) pots and pans only.
- Use cooking receptacles which cover as much of the surface of the cooking zone/area as possible.
- To save electricity, use lids whenever possible.
- When the pan comes to the boil, turn the heat down to the level desired. Remember that the cooking zone/area will continue to produce heat for about five minutes after it has been turned off.

INDUCTION COOKING ZONES AND/OR AREAS

- To save electricity, use lids whenever possible.
- When the pan comes to the boil, turn the heat down to the level desired.
- Please use suitable pans marked for induction cooking. Some cookware available on the market has an effective ferromagnetic area which is much smaller than the diameter of the pan itself. Avoid using this cookware because the induction cooktop may not function properly or may be damaged.
- Always use pans/coffee pots with thick, completely flat bottom. Do not use pans/coffee pots with concave or convex bottom; these could cause overheating of the cooking zone.
- Important: Do not use pot/coffee pot adaptors.

WARMING DRAWER

- Check the warming drawer always closes properly. During use, open the drawer only when strictly necessary to avoid heat losses.
- Avoid keeping the warming drawer on without something in it.
- Turn off the warming drawer 5-10 minutes before the end of the theoretical warming time to recuperate the stored heat.
- We recommend using oven proof dishes and adjusting the temperature during use if necessary.

Showroom Address:

1 The Chestnut
Mill Farm Courtyard
Beachampton
Milton Keynes
Buckinghamshire
MK19 6DS

For UK Service: 01908 733 010

For Sales Advise: 01908 067 550

Email: cookersupport@delonghi-cookers.co.uk
Web www.delonghi-cookers.co.uk

Important Notice of Disclaimer

Our brochure contains information on a wide subject of products which we manufacture and / or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.

De'Longhi is a registered trademark of the De'Longhi Group, licensed for use by Elba Italy S.p.A.

Copyright © Elba Italy SpA.

All Rights Reserved. The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and may change at any time. You should therefore check with your local dealer to ensure this brochure correctly describes the products currently available.

Reference: 582520 | 2026



www.delonghi-cookers.co.uk